



MEMBER FIRMS











































KATHY NELSON

PRESIDENT & CEO



RANDY BREDAR

EXECUTIVE VICE PRESIDENT







EMILY LOUCHART

SENIOR PROJECT INTERIOR DESIGNER



KEVIN LEWIS

VENUE PRACTICE DIRECTOR








GERARDO PRADO

NATIONAL SPORTS PRACTICE LEADER







BIG 12 TOURNAMENT





BIG 12 TOURNAMENT



ARCHITECTURE | ENGINEERING | TECHNOLOGY



BIG 12 TOURNAMENT






KANSAS CITY MARATHON

A phased approach to re-entry

PHASE 1 : LIVE EVENT, VIRTUAL FANS

PHASE 2 : PARTIAL ATTENDANCE


PHASE 3 : FULL ATTENDANCE









ARCHITECTURE | ENGINEERING | TECHNOLOGY





BUILDING SYSTEMS DESIGN STRATEGIES









HOW TO REDUCE THE RISK OF COVID-19 INFECTION THROUGH BUILDING DESIGN.

Transmission of COVID-19 in buildings requires two things — the active virus being present in sufficient quantity to cause infection and the transmission of that active virus into the respiratory tract of the person being infected. In public buildings, it's often difficult to control for the presence of the virus, but good design practices can work together to reduce the overall risk of infection.



3 Transmission Paths

Using the Cause Map diagram we are able highlight the 3 potential transmission paths of a viral infection. Each path has different control opportunities (Solutions) that can reduce the risk of transmission. The 3 paths include:

Surface Transmission


A person touches a contaminated surface and then inadvertently touches their face introducing the virus.

Droplet Transmission

An infected person is talking, coughing, or sneezing within close contact of others. Large Respiratory droplets (greater than 5µm to 10µm) makes <u>direct</u> contact to infect.

Airborne (aerosol) Transmission

An infected person is talking, coughing, or sneezing. The small respiratory droplets (less than 5μ m to 10μ m) remain suspended in air for a period of time and over greater distance.









Tra

Cause

Basic

3 Transmission Paths

Using the Cause Map diagram we are able highlight the 3 potential transmission paths of a viral infection. Each path has different control opportunities (Solutions) that can reduce the risk of transmission. The 3 paths include:

Surface Transmission

A person touches a contaminated surface and then inadvertently touches their face introducing the virus.

Droplet Transmission

An infected person is talking, coughing, or sneezing within close contact of others. Large Respiratory droplets (greater than 5µm to 10µm) makes <u>direct</u> contact to infect.

Airborne (aerosol) Transmission

An infected person is talking, coughing, or sneezing. The small respiratory droplets (less than $5\mu m$ to $10\mu m$) remain suspended in air for a period of time and over greater distance.

An infected person is talking, coughing, or sneezing. The small

An infected person is talking, coughing, or sneezing. The small respiratory droplets (less than 5µm to 10µm) remain suspended in air for a period of time and over greater distance.

Surface Transmission

Infectable virus on hand contacts face

TOUCHLESS

Droplet Transmission


Direct contact with infectable respiratory droplets


SOCIAL DISTANCING

Airborne Transmission

Contact (inhaled) with infectable droplet suspended in air

HVAC / SYSTEMS





bility to Infect Once Inhaled

To learn more visit our website at www.thinkreliability.com email: info@thinkreliability.com phone: 281-412-7766 Copylight 2001 Thinkfellability. Nover, Inc.





FOOTBALL IN 1918



ARCHITECTURE | ENGINEERING | TECHNOLOGY







MEMBER FIRMS















































RANDY BREDAR EXECUTIVE VICE PRESIDENT



EMILY
LOUCHART
SENIOR PROJECT INTERIOR
DESIGNER



KEVIN
LEWIS
VENUE PRACTICE
DIRECTOR



GERARDO
PRADO
NATIONAL SPORTS
PRACTICE LEADER

knelson@sportkc.org

emily.louchart@hok.com

gprado@HNTB.com

randy.bredar@jedunn.com

kevin.lewis@hendersonengineers.com









